

#17/C

SEQUENCE LISTING

<110> The Trustees of Columbia University In The City of New York

<120> OLIGONUCLEOTIDE INHIBITORS OF BCL-XL

<130> 0575/55669-A-PCT-US

<140> 09/753,169

<141> 2001-01-02

<150> 09/109,614

<151> 1998-07-02

<150> PCT/US99/15250

<151> 1999-07-02

<160> 38

<170> PatentIn version 3.1

<210> 1

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> ANTISENSE OLIGONUCLEOTIDE

<400> 1

ctcaaccagt ccattgtcca

20

<210> 2

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> ANTISENSE OLIGONUCLEOTIDE

<400> 2

tcccggttgc tctgagacat

20

<210> 3

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> ANTISENSE OLIGONUCLEOTIDE

<400> 3

gccacagtca tgcccgtcag

20

<210> 4

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> ANTISENSE OLIGONUCLEOTIDE

<400> 4
ctgcgatccg actcaccaat 20

<210> 5
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> ANTISENSE OLIGONUCLEOTIDE

<400> 5
agtcctgttc tcttcac 18

<210> 6
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> ANTISENSE OLIGONUCLEOTIDE

<400> 6
ctttactgct gccatggg 18

<210> 7
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> ANTISENSE OLIGONUCLEOTIDE

<400> 7
cgccgttctc ctggatccaa 20

<210> 8
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> ANTISENSE OLIGONUCLEOTIDE

<400> 8
ctgactccag ctgtatcc 18

<210> 9
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> ANTISENSE OLIGONUCLEOTIDE

<400> 9
ggtctccatc tccgattc 18

<210> 10
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> ANTISENSE OLIGONUCLEOTIDE

<400> 10
cctggggtga tgtggagc 18

<210> 11
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> ANTISENSE OLIGONUCLEOTIDE

<400> 11
agttccacaa aagtatcc 18

<210> 12
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> ANTISENSE OLIGONUCLEOTIDE

<400> 12
ctttcggctc tcggetgc 18

<210> 13
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> ANTISENSE OLIGONUCLEOTIDE

<400> 13
aaccagcgt tgaagcgt 18

<210> 14
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> ANTISENSE OLIGONUCLEOTIDE

<220>
<221> misc_binding
<222> (1)..(4)
<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc_binding
<222> (6)..(7)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (10)..(12)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (14)..(15)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (17)..(20)
<223> PHOSPHOROTHIOATE LINKAGE

<400> 14
ctcaaccagt ccattgtcca

20

<210> 15
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> ANTISENSE OLIGONUCLEOTIDE

<220>
<221> misc_binding
<222> (1)..(4)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (6)..(7)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (10)..(12)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (14)..(15)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (17)..(20)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> modified_base
<222> (1)..(1)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (2)..(2)
<223> PROPYNYL dT

<220>
<221> modified_base
<222> (3)..(3)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (6)..(6)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (7)..(7)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (10)..(10)
<223> PROPYNYL dT

<220>
<221> modified_base
<222> (11)..(12)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (14)..(15)
<223> PROPYNYL dT

<220>
<221> modified_base
<222> (17)..(17)
<223> PROPYNYL dT

<220>
<221> modified_base
<222> (18)..(19)
<223> PROPYNYL dC

<400> 15
ctcaaccagt ccattgtcca

<210> 16
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> ANTISENSE OLIGONUCLEOTIDE

<220>
<221> misc_binding
<222> (1)..(4)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (7)..(8)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (10)..(13)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (17)..(20)
<223> PHOSPHOROTHIOATE LINKAGE

<400> 16
tcccgggttg tctgagacat

20

<210> 17
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> ANTISENSE OLIGONUCLEOTIDE

<220>
<221> misc_binding
<222> (1)..(4)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (8)..(9)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (13)..(15)
<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc_binding
<222> (17)..(20)
<223> PHOSPHOROTHIOATE LINKAGE

<400> 17
gccacagtca tgcccgtcag

20

<210> 18
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> ANTISENSE OLIGONUCLEOTIDE

<220>
<221> misc_binding
<222> (1)..(4)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> modified_base
<222> (2)..(3)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (5)..(5)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (8)..(8)
<223> PROPYNYL dT

<220>
<221> modified_base
<222> (9)..(9)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (11)..(11)
<223> PROPYNYL dT

<220>
<221> modified_base
<222> (13)..(15)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (17)..(17)
<223> PROPYNYL dT

<220>
<221> modified_base
<222> (18)..(18)
<223> PROPYNYL dC

<220>
<221> misc_binding
<222> (8)..(9)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (13)..(15)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (17)..(20)
<223> PHOSPHOROTHIOATE LINKAGE

<400> 18
gccacagtca tgcccgtcag

20

<210> 19
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> ANTISENSE OLIGONUCLEOTIDE

<220>
<221> misc_binding
<222> (2)..(3)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (7)..(9)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (12)..(14)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (16)..(20)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> modified_base
<222> (1)..(1)

<223> PROPYNYL dC

<220>

<221> modified_base

<222> (2)..(2)

<223> PROPYNYL dT

<220>

<221> modified_base

<222> (4)..(4)

<223> PROPYNYL dC

<220>

<221> modified_base

<222> (7)..(7)

<223> PROPYNYL dT

<220>

<221> modified_base

<222> (8)..(9)

<223> PROPYNYL dC

<220>

<221> modified_base

<222> (12)..(12)

<223> PROPYNYL dC

<220>

<221> modified_base

<222> (13)..(13)

<223> PROPYNYL dT

<220>

<221> modified_base

<222> (16)..(17)

<223> PROPYNYL dC

<400> 19

ctgcgatccg actcaccaat

20

<210> 20

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> ANTISENSE OLIGONUCLEOTIDE

<220>

<221> misc_binding

<222> (1)..(6)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc_binding
<222> (8)..(9)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (10)..(12)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (13)..(18)
<223> PHOSPHOROTHIOATE LINKAGE

<400> 20
agtcctgttc tcttcac

18

<210> 21
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> ANTISENSE OLIGONUCLEOTIDE

<220>
<221> misc_binding
<222> (1)..(9)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (10)..(12)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (13)..(18)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> modified_base
<222> (3)..(3)
<223> PROPYNYL dT

<220>
<221> modified_base
<222> (4)..(6)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (8)..(9)
<223> PROPYNYL dT

<220>
 <221> modified_base
 <222> (10)..(10)
 <223> PROPYNYL dC

<220>
 <221> modified_base
 <222> (11)..(11)
 <223> PROPYNYL dT

<220>
 <221> modified_base
 <222> (12)..(12)
 <223> PROPYNYL dC

<220>
 <221> modified_base
 <222> (13)..(14)
 <223> PROPYNYL dT

<220>
 <221> modified_base
 <222> (15)..(16)
 <223> PROPYNYL dC

<400> 21
 agtccccgttc tcttccac

18

<210> 22
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> ANTISENSE OLIGONUCLEOTIDE

<220>
 <221> misc_binding
 <222> (1)..(4)
 <223> PHOSPHOROTHIOATE LINKAGE

<220>
 <221> misc_binding
 <222> (9)..(10)
 <223> PHOSPHOROTHIOATE LINKAGE

<220>
 <221> misc_binding
 <222> (12)..(13)
 <223> PHOSPHOROTHIOATE LINKAGE

<220>
 <221> misc_binding
 <222> (15)..(18)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> modified_base

<222> (1)..(1)

<223> PROPYNYL dC

<220>

<221> modified_base

<222> (2)..(4)

<223> PROPYNYL dT

<220>

<221> modified_base

<222> (6)..(6)

<223> PROPYNYL dC

<220>

<221> modified_base

<222> (7)..(7)

<223> PROPYNYL dT

<220>

<221> modified_base

<222> (9)..(9)

<223> PROPYNYL dC

<220>

<221> modified_base

<222> (10)..(10)

<223> PROPYNYL dT

<220>

<221> modified_base

<222> (12)..(13)

<223> PROPYNYL dC

<220>

<221> modified_base

<222> (15)..(15)

<223> PROPYNYL dT

<400> 22

ctttactgct gccatggg

18

<210> 23

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> ANTISENSE OLIGONUCLEOTIDE

<220>

<221> misc_binding
<222> (1)..(2)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (3)..(5)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (6)..(12)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (17)..(20)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> modified_base
<222> (1)..(1)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (3)..(4)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (8)..(8)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (10)..(11)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (17)..(18)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (6)..(7)
<223> PROPYNYL dT

<220>
<221> modified_base
<222> (12)..(12)
<223> PROPYNYL dT

<220>
 <221> modified_base
 <222> (16)..(16)
 <223> PROPYNYL dT

<220>
 <221> modified_base
 <222> (9)..(9)
 <223> PROPYNYL dT

<400> 23
 cgccgttctc ctggatccaa

20

<210> 24
 <211> 19
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> ANTISENSE OLIGONUCLEOTIDE

<220>
 <221> misc_binding
 <222> (1)..(2)
 <223> PHOSPHOROTHIOATE LINKAGE

<220>
 <221> misc_binding
 <222> (3)..(5)
 <223> PHOSPHOROTHIOATE LINKAGE

<220>
 <221> misc_binding
 <222> (6)..(12)
 <223> PHOSPHOROTHIOATE LINKAGE

<220>
 <221> misc_binding
 <222> (17)..(19)
 <223> PHOSPHOROTHIOATE LINKAGE

<400> 24
 cgccgttctc ctggatcca

19

<210> 25
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> ANTISENSE OLIGONUCLEOTIDE

<220>
 <221> misc_binding
 <222> (1)..(4)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc_binding

<222> (5)..(8)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc_binding

<222> (11)..(12)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc_binding

<222> (15)..(18)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> modified_base

<222> (1)..(1)

<223> PROPYNYL dC

<220>

<221> modified_base

<222> (2)..(2)

<223> PROPYNYL dT

<220>

<221> modified_base

<222> (5)..(5)

<223> PROPYNYL dC

<220>

<221> modified_base

<222> (6)..(6)

<223> PROPYNYL dT

<220>

<221> modified_base

<222> (7)..(8)

<223> PROPYNYL dC

<220>

<221> modified_base

<222> (11)..(11)

<223> PROPYNYL dC

<220>

<221> modified_base

<222> (12)..(12)

<223> PROPYNYL dT

<220>

<221> modified_base
<222> (14)..(14)
<223> PROPYNYL dT

<220>
<221> modified_base
<222> (16)..(16)
<223> PROPYNYL dT

<220>
<221> modified_base
<222> (17)..(17)
<223> PROPYNYL dC

<400> 25
ctgactccag ctgtatcc

18

<210> 26
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> ANTISENSE OLIGONUCLEOTIDE

<220>
<221> misc_binding
<222> (1)..(4)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (5)..(8)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (11)..(12)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (15)..(18)
<223> PHOSPHOROTHIOATE LINKAGE

<400> 26
ctgactccag ctgtatcc

18

<210> 27
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> ANTISENSE OLIGONUCLEOTIDE

<220>
<221> misc_binding
<222> (1)..(4)
<223> PHOSPHOROTHIATE LINKAGE

<220>
<221> misc_binding
<222> (5)..(7)
<223> PHOSPHOROTHIATE LINKAGE

<220>
<221> misc_binding
<222> (9)..(10)
<223> PHOSPHOROTHIATE LINKAGE

<220>
<221> misc_binding
<222> (11)..(12)
<223> PHOSPHOROTHIATE LINKAGE

<220>
<221> misc_binding
<222> (15)..(18)
<223> PHOSPHOROTHIATE LINKAGE

<220>
<221> modified_base
<222> (3)..(3)
<223> PROPYNYL dT

<220>
<221> modified_base
<222> (4)..(4)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (6)..(7)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (5)..(5)
<223> PROPYNYL dT

<220>
<221> modified_base
<222> (9)..(9)
<223> PROPYNYL dT

<220>
<221> modified_base
<222> (10)..(10)

<223> PROPYNYL dC

<220>

<221> modified_base

<222> (11)..(11)

<223> PROPYNYL dT

<220>

<221> modified_base

<222> (12)..(13)

<223> PROPYNYL dC

<220>

<221> modified_base

<222> (16)..(17)

<223> PROPYNYL dT

<400> 27

ggtctccatc tccgattc

18

<210> 28

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> ANTISENSE OLIGONUCLEOTIDE

<220>

<221> misc_binding

<222> (1)..(4)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc_binding

<222> (5)..(7)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc_binding

<222> (9)..(10)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc_binding

<222> (11)..(12)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc_binding

<222> (15)..(18)

<223> PHOSPHOROTHIOATE LINKAGE

<400> 28

ggctctccatc tccgattc

18

<210> 29
 <211> 18
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> ANTISENSE OLIGONUCLEOTIDE

<220>
 <221> misc_binding
 <222> (1)..(4)
 <223> PHOSPHOROTHIATE LINKAGE

<220>
 <221> misc_binding
 <222> (9)..(10)
 <223> PHOSPHOROTHIATE LINKAGE

<220>
 <221> misc_binding
 <222> (12)..(13)
 <223> PHOSPHOROTHIATE LINKAGE

<220>
 <221> misc_binding
 <222> (15)..(18)
 <223> PHOSPHOROTHIATE LINKAGE

<400> 29
 cctgggggtga tgtggagc

18

<210> 30
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> ANTISENSE OLIGONUCLEOTIDE

<220>
 <221> misc_binding
 <222> (1)..(4)
 <223> PHOSPHOROTHIOATE LINKAGE

<220>
 <221> misc_binding
 <222> (5)..(6)
 <223> PHOSPHOROTHIOATE LINKAGE

<220>
 <221> misc_binding
 <222> (8)..(9)
 <223> PHOSPHOROTHIOATE LINKAGE

<220>
 <221> misc_binding
 <222> (14)..(18)
 <223> PHOSPHOROTHIOATE LINKAGE

<220>
 <221> modified_base
 <222> (3)..(4)
 <223> PROPYNYL dT

<220>
 <221> modified_base
 <222> (5)..(6)
 <223> PROPYNYL dC

<220>
 <221> modified_base
 <222> (8)..(8)
 <223> PROPYNYL dC

<220>
 <221> modified_base
 <222> (14)..(14)
 <223> PROPYNYL dT

<220>
 <221> modified_base
 <222> (16)..(16)
 <223> PROPYNYL dT

<220>
 <221> modified_base
 <222> (17)..(17)
 <223> PROPYNYL dC

<400> 30
 agttccacaa aagtatcc

18

<210> 31
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> ANTISENSE OLIGONUCLEOTIDE

<220>
 <221> misc_binding
 <222> (1)..(4)
 <223> PHOSPHOROTHIOATE LINKAGE

<220>
 <221> misc_binding
 <222> (5)..(6)

<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (8)..(9)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (14)..(18)
<223> PHOSPHOROTHIOATE LINKAGE

<400> 31
agttccacaa aagtatcc

<210> 32
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> ANTISENSE OLIGONUCLEOTIDE

<220>
<221> misc_binding
<222> (1)..(4)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (8)..(9)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (10)..(12)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (15)..(18)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> modified_base
<222> (1)..(1)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (2)..(4)
<223> PROPYNYL dT

<220>

18

<221> modified_base
 <222> (8)..(8)
 <223> PROPYNYL dC

<220>
 <221> modified_base
 <222> (9)..(9)
 <223> PROPYNYL dT

<220>
 <221> modified_base
 <222> (10)..(10)
 <223> PROPYNYL dC

<220>
 <221> modified_base
 <222> (11)..(11)
 <223> PROPYNYL dT

<220>
 <221> modified_base
 <222> (12)..(12)
 <223> PROPYNYL dC

<220>
 <221> modified_base
 <222> (15)..(15)
 <223> PROPYNYL dC

<220>
 <221> modified_base
 <222> (16)..(16)
 <223> PROPYNYL dT

<400> 32
 ctttcggctc tcggctgc

18

<210> 33
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> ANTISENSE OLIGONUCLEOTIDE

<220>
 <221> misc_binding
 <222> (1)..(4)
 <223> PHOSPHOROTHIOATE LINKAGE

<220>
 <221> misc_binding
 <222> (8)..(9)
 <223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (10)..(12)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (15)..(18)
<223> PHOSPHOROTHIOATE LINKAGE

<400> 33
ctttcggctc tcggtgc

18

<210> 34
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> ANTISENSE OLIGONUCLEOTIDE

<220>
<221> misc_binding
<222> (1)..(4)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (10)..(11)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (15)..(18)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> modified_base
<222> (3)..(4)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (7)..(7)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (16)..(16)
<223> PROPYNYL dC

<400> 34
aaccagcggc tgaagcgt

18

<210> 35
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> ANTISENSE OLIGONUCLEOTIDE

<220>
 <221> misc_binding
 <222> (1)..(4)
 <223> PHOSPHOROTHIOATE LINKAGE

<220>
 <221> misc_binding
 <222> (10)..(12)
 <223> PHOSPHOROTHIOATE LINKAGE

<220>
 <221> misc_binding
 <222> (15)..(18)
 <223> PHOSPHOROTHIOATE LINKAGE

<400> 35
 aaccagcggg tgaagcgt

18

<210> 36
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> PRIMER

<400> 36
 atgtctcaga gcaaccggga

20

<210> 37
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> PRIMER

<400> 37
 tcatttccga ctgaagagtg

20

<210> 38
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> ANTISENSE OLIGONUCLEOTIDE

<220>


```
<221> misc_binding
<222> (1)..(2)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (2)..(3)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (3)..(4)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (9)..(10)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (12)..(13)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (15)..(16)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> misc_binding
<222> (16)..(17)
<223> PHOSPHOROTHIOATE LINKAGE

<220>
<221> modified_base
<222> (1)..(1)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (2)..(2)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (3)..(3)
<223> PROPYNYL dT

<220>
<221> modified_base
<222> (8)..(8)
<223> PROPYNYL dT
```

<220>
<221> modified_base
<222> (11)..(11)
<223> PROPYNYL dT

<400> 38
cctgggggtga tgtggagc

18



Dkt. 0575/55669-A-PCT-US/JPW/PJP/BJA

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Cy A. Stein et al.
Serial No.: 09/753,169 Examiner: J.L Epps
Filed : January 2, 2001 Group Art Unit: 1635
For : OLIGONUCLEOTIDE INHIBITORS OF bcl-xL

1185 Avenue of the Americas
New York, New York 10036
January 13, 2003

Assistant Commissioner for Patents
BOX Sequence, P.O. 2327
Arlington, VA 22202


SIR:

STATEMENT IN ACCORDANCE WITH 37 C.F.R. §1.821(f)

In accordance with 37 C.F.R. §1.821(f), I hereby certify that the computer readable form containing the nucleic acid and/or amino acid sequences required by 37 C.F.R. §1.821(e) and submitted herewith contains the same information as the written "Sequence Listing" (26 pages) (Exhibit B) that is submitted herewith.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these were made with the knowledge that wilful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such wilful false statements may jeopardize the validity of the application or any patent issued thereon.


Respectfully submitted,



Brian J. Amos
Cooper & Dunham LLP
1185 Avenue of the Americas
New York, New York 10036
(212) 278-0400

1635

BIOTECHNOLOGY
SYSTEMS
BRANCH



RAW SEQUENCE LISTING
ERROR REPORT

#15/R.T.
11/13
Raw
Seq.
Error

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/753,169
Source: 1600
Date Processed by STIC: 11/4/2002

RECEIVED

NOV 12 2002

TECH CENTER 1600/2900

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216.

PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax)

PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

RECEIVED

JAN 22 2003

TECH CENTER 1600/2900

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE **CHECKER** **VERSION 3.1 PROGRAM**, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/ebs/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
3. Hand Carry directly to:
U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7th Floor, Examiner Name, Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202
Or
U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 01/29/2002



1600

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/753,169

DATE: 11/04/2002

TIME: 14:02:42

Input Set : A:\55669apctus.txt

Output Set: N:\CRF4\11042002\I753169.raw

3 <110> APPLICANT: The Trustees of Columbia University In The City of New York
 5 <120> TITLE OF INVENTION: OLIGONUCLEOTIDE INHIBITORS OF BCL-XL
 7 <130> FILE REFERENCE: 0575/55669-A-PCT-US
 9 <140> CURRENT APPLICATION NUMBER: 09/753,169
 10 <141> CURRENT FILING DATE: 2001-01-02
 12 <150> PRIOR APPLICATION NUMBER: 09/109,614
 13 <151> PRIOR FILING DATE: 1998-07-02
 15 <150> PRIOR APPLICATION NUMBER: PCT/US99/15250
 16 <151> PRIOR FILING DATE: 1999-07-02
 18 <160> NUMBER OF SEQ ID NOS: 38
 20 <170> SOFTWARE: PatentIn version 3.1
 22 <210> SEQ ID NO: 1
 23 <211> LENGTH: 20
 24 <212> TYPE: DNA
 25 <213> ORGANISM: Artificial Sequence
 27 <220> FEATURE:
 28 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
 30 <400> SEQUENCE: 1
 31 ctcaaccagt ccattgtcca
 34 <210> SEQ ID NO: 2
 35 <211> LENGTH: 20
 36 <212> TYPE: DNA
 37 <213> ORGANISM: Artificial Sequence
 39 <220> FEATURE:
 40 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
 42 <400> SEQUENCE: 2
 43 tcccggttgc tctgagacat
 46 <210> SEQ ID NO: 3
 47 <211> LENGTH: 20
 48 <212> TYPE: DNA
 49 <213> ORGANISM: Artificial Sequence
 51 <220> FEATURE:
 52 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
 54 <400> SEQUENCE: 3
 55 gccacagtca tgcccgtcag
 58 <210> SEQ ID NO: 4
 59 <211> LENGTH: 20
 60 <212> TYPE: DNA
 61 <213> ORGANISM: Artificial Sequence
 63 <220> FEATURE:
 64 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
 66 <400> SEQUENCE: 4
 67 ctgcgatccg actcaccaat

RECEIVED

JAN 22 2003

TECH CENTER 1600/2900

 Does Not Comply
 Corrected Diskette Needed

20

20

20

20

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/753,169

DATE: 11/04/2002

TIME: 14:02:42

Input Set : A:\55669apctus.txt

Output Set: N:\CRF4\11042002\I753169.raw

70 <210> SEQ ID NO: 5
71 <211> LENGTH: 18
72 <212> TYPE: DNA
73 <213> ORGANISM: Artificial Sequence
75 <220> FEATURE:
76 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
78 <400> SEQUENCE: 5
79 agtcctgttc tcttcac 18
82 <210> SEQ ID NO: 6
83 <211> LENGTH: 18
84 <212> TYPE: DNA
85 <213> ORGANISM: Artificial Sequence
87 <220> FEATURE:
88 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
90 <400> SEQUENCE: 6
91 ctttactgct gccatgg 18
94 <210> SEQ ID NO: 7
95 <211> LENGTH: 20
96 <212> TYPE: DNA
97 <213> ORGANISM: Artificial Sequence
99 <220> FEATURE:
100 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
102 <400> SEQUENCE: 7
103 cgccgttctc ctggatccaa 20
106 <210> SEQ ID NO: 8
107 <211> LENGTH: 18
108 <212> TYPE: DNA
109 <213> ORGANISM: Artificial Sequence
111 <220> FEATURE:
112 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
114 <400> SEQUENCE: 8
115 ctgactccag ctgtatcc 18
118 <210> SEQ ID NO: 9
119 <211> LENGTH: 18
120 <212> TYPE: DNA
121 <213> ORGANISM: Artificial Sequence
123 <220> FEATURE:
124 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
126 <400> SEQUENCE: 9
127 ggtctccatc tccgattc 18
130 <210> SEQ ID NO: 10
131 <211> LENGTH: 18
132 <212> TYPE: DNA
133 <213> ORGANISM: Artificial Sequence
135 <220> FEATURE:
136 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
138 <400> SEQUENCE: 10
139 cctgggggtga tgtggagc 18
142 <210> SEQ ID NO: 11

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/753,169

DATE: 11/04/2002

TIME: 14:02:42

Input Set : A:\55669apctus.txt

Output Set: N:\CRF4\11042002\I753169.raw

```

143 <211> LENGTH: 18
144 <212> TYPE: DNA
145 <213> ORGANISM: Artificial Sequence
147 <220> FEATURE:
148 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
150 <400> SEQUENCE: 11
151 agttccacaa aagtatcc
154 <210> SEQ ID NO: 12
155 <211> LENGTH: 18
156 <212> TYPE: DNA
157 <213> ORGANISM: Artificial Sequence
159 <220> FEATURE:
160 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
162 <400> SEQUENCE: 12
163 ctttcggctc tcggctgc
166 <210> SEQ ID NO: 13
167 <211> LENGTH: 18
168 <212> TYPE: DNA
169 <213> ORGANISM: Artificial Sequence
171 <220> FEATURE:
172 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
174 <400> SEQUENCE: 13
175 aaccagcggg tgaagcgt
178 <210> SEQ ID NO: 14
179 <211> LENGTH: 20
180 <212> TYPE: DNA
181 <213> ORGANISM: Artificial Sequence
183 <220> FEATURE:
184 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
186 <220> FEATURE:
187 <221> NAME/KEY: misc_binding
188 <222> LOCATION: (1)..(4)
189 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE
192 <220> FEATURE:
193 <221> NAME/KEY: misc_binding
194 <222> LOCATION: (6)..(7)
195 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE
198 <220> FEATURE:
199 <221> NAME/KEY: misc_binding
200 <222> LOCATION: (10)..(12)
201 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE
204 <220> FEATURE:
205 <221> NAME/KEY: misc_binding
206 <222> LOCATION: (14)..(15)
207 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE
210 <220> FEATURE:
211 <221> NAME/KEY: misc_binding
212 <222> LOCATION: (17)..(20)
213 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE

```

18

18

18

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/753,169

DATE: 11/04/2002

TIME: 14:02:42

Input Set : A:\55669apctus.txt

Output Set : N:\CRF4\11042002\I753169.raw

216 <400> SEQUENCE: 14
217 ctcaaccagt ccattgtcca
220 <210> SEQ ID NO: 15
221 <211> LENGTH: 20
222 <212> TYPE: DNA
223 <213> ORGANISM: Artificial Sequence
225 <220> FEATURE:
226 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
228 <220> FEATURE:
229 <221> NAME/KEY: misc_binding
230 <222> LOCATION: (1)..(4)
231 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE
234 <220> FEATURE:
235 <221> NAME/KEY: misc_binding
236 <222> LOCATION: (6)..(7)
237 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE
240 <220> FEATURE:
241 <221> NAME/KEY: misc_binding
242 <222> LOCATION: (10)..(12)
243 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE
246 <220> FEATURE:
247 <221> NAME/KEY: misc_binding
248 <222> LOCATION: (14)..(15)
249 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE
252 <220> FEATURE:
253 <221> NAME/KEY: misc_binding
254 <222> LOCATION: (17)..(20)
255 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE
258 <220> FEATURE:
259 <221> NAME/KEY: modified_base
260 <222> LOCATION: (1)..(1)
261 <223> OTHER INFORMATION: PROPYNYL dC
264 <220> FEATURE:
265 <221> NAME/KEY: modified_base
266 <222> LOCATION: (2)..(2)
267 <223> OTHER INFORMATION: PROPYNYL dT
270 <220> FEATURE:
271 <221> NAME/KEY: modified_base
272 <222> LOCATION: (3)..(3)
273 <223> OTHER INFORMATION: PROPYNYL dC
276 <220> FEATURE:
277 <221> NAME/KEY: modified_base
278 <222> LOCATION: (6)..(6)
279 <223> OTHER INFORMATION: PROPYNYL dC
282 <220> FEATURE:
283 <221> NAME/KEY: modified_base
284 <222> LOCATION: (7)..(7)
285 <223> OTHER INFORMATION: PROPYNYL dC
288 <220> FEATURE:

20

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/753,169

DATE: 11/04/2002

TIME: 14:02:42

Input Set : A:\55669apctus.txt

Output Set: N:\CRF4\11042002\I753169.raw

289 <221> NAME/KEY: modified_base
 290 <222> LOCATION: (10)..(10)
 291 <223> OTHER INFORMATION: PROPYNYL dT
 294 <220> FEATURE:
 295 <221> NAME/KEY: modified_base
 296 <222> LOCATION: (11)..(12)
 297 <223> OTHER INFORMATION: PROPYNYL dC
 300 <220> FEATURE:
 301 <221> NAME/KEY: modified_base
 302 <222> LOCATION: (14)..(15)
 303 <223> OTHER INFORMATION: PROPYNYL dT
 306 <220> FEATURE:
 307 <221> NAME/KEY: modified_base
 308 <222> LOCATION: (17)..(17)
 309 <223> OTHER INFORMATION: PROPYNYL dT
 312 <220> FEATURE:
 313 <221> NAME/KEY: modified_base
 314 <222> LOCATION: (18)..(19) *✓*
 315 <223> OTHER INFORMATION: PROPYNYL dT *"c" is at locations 18 and 19*
 318 <400> SEQUENCE: 15
 319 ~~ctcaac~~cagtc ccattgtcca
 322 <210> SEQ ID NO: 16
 323 <211> LENGTH: 20
 324 <212> TYPE: DNA
 325 <213> ORGANISM: Artificial Sequence
 327 <220> FEATURE:
 328 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
 330 <220> FEATURE:
 331 <221> NAME/KEY: misc_binding
 332 <222> LOCATION: (1)..(4)
 333 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE
 336 <220> FEATURE:
 337 <221> NAME/KEY: misc_binding
 338 <222> LOCATION: (7)..(8)
 339 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE
 342 <220> FEATURE:
 343 <221> NAME/KEY: misc_binding
 344 <222> LOCATION: (10)..(13)
 345 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE
 348 <220> FEATURE:
 349 <221> NAME/KEY: misc_binding
 350 <222> LOCATION: (17)..(20)
 351 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE
 354 <400> SEQUENCE: 16
 355 tcccgggttc tctgagacat
 358 <210> SEQ ID NO: 17
 359 <211> LENGTH: 20
 360 <212> TYPE: DNA
 361 <213> ORGANISM: Artificial Sequence

20

20

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/753,169

DATE: 11/04/2002

TIME: 14:02:43

Input Set : A:\55669apctus.txt

Output Set: N:\CRF4\11042002\I753169.raw